新一代生态新风管道专家

Specialist in Next-Generation Eco-Friendly Fresh Air Duct Systems

产品手册
Product Catalogue

国家高新技术企业

新风管道系统领军品牌

执行欧盟RoHS环保标准

住建部净新委行业标准参编单位

ISO 9001:2015 国际质量管理体系认证

ISO 14001:2015 国际环境管理体系认证

ISO 14001:2015 国际健康管理体系认证

山东旗悦环保科技有限公司
Shandong Qiyue Environmental Protection Technology Co., Ltd.

旗悦简介
Introduction to Qiyue

山东旗悦环保科技有限公司专注于室内通风净化新风管道等相关技术和产品研发、制造及应用。公司位于山东省临沂市罗庄区,总占地三万多平方米，是一家专业生产中央新风系统末端产品的新型科技公司，是国家高新技术企业、专精特新中小企业、创新型中小企业、科技型中小企业。为满足企业发展需求公司投资近亿元用来扩大规模，增加新的产品。

面对全球化的激烈竞争新形势，旗悦始终秉持“高标准，严要求，勤创新，立诚信”的经营理念，为客户提供高品质的新风全系统产品与完善服务。

Shandong Qiyue Environmental Protection Technology Co., Ltd. specializes in the R&D, manufacturing and application of technologies and products related to indoor ventilation, purification and fresh air ducts. Located in Luozhuang District, Linyi City, Shandong Province, the company covers a total area of over 30,000 square meters. It is a new-type technology company specializing in the production of end products for central fresh air systems, and is accredited as a National High-Tech Enterprise, a Specialized, Sophisticated, Distinctive & Novel Small and Medium-sized Enterprise, an Innovative Small and Medium-sized Enterprise, and a Technology-based Small and Medium-sized Enterprise. To meet the needs of its development, the company has invested nearly 100 million yuan to expand its scale and add new products.

Facing the new landscape of fierce global competition, Qiyue has always adhered to the business philosophy of "high standards, strict requirements, diligent innovation and commitment to integrity", providing customers with high-quality full-system fresh air products and comprehensive services.





旗悦品牌新风系列风靡全国，并远销亚、欧、大洋洲二十多个国家和地区，以卓越口碑享誉海内外，深受广大顾客的青睐与赞誉。

秉持品牌长期主义，旗悦全面推进品牌战略升级，依托整合营销构建差异化运营模式，不仅为品牌推广注入强劲动能，更以全链路支持保障合作伙伴：从营造优良市场环境，到助力实现良性发展，最终达成合理利润共享，形成可持续的共赢生态。

作为国际化经营的产品领军者，旗悦以成熟的合作模式凝聚财富势能、开拓增长新局，既是各方伙伴逐梦路上的坚实后盾，更是携手共创辉煌未来的可靠基石。

The Qiyue brand's fresh air series is popular throughout the country and exported to more than 20 countries and regions in Asia, Europe, and Oceania. It is renowned for its excellent reputation at home and abroad and is highly favored and praised by customers.

Adhering to the brand's long-term philosophy, Qiyue is comprehensively promoting the upgrading of its brand strategy, relying on integrated marketing to build a differentiated operation model. This not only injects strong momentum into brand promotion, but also provides full chain support to ensure cooperation with partners: from creating a favorable market environment to helping achieve healthy development, ultimately achieving reasonable profit sharing and forming a sustainable win-win ecology.

As a product leader in international operations, Qiyue consolidates wealth potential and explores new growth opportunities through a mature cooperation model. It is not only a solid backing for all partners on their dream journey, but also a reliable cornerstone for working together to create a brilliant future.

旗悦资质&荣誉
Qiyue's Qualifications & Honors

公司拥有一流研发与科研团队，每年投入巨资用于产品研发,开展自主知识产权的科研创新与开发，以最大限度满足市场需求。目前拥有多项发明专利、实用新型专利及外观专利。通过深化生产工艺，完善了新风系统及抗菌抗静电管道、消音分配箱、风口、地送风、无菌管道、铝箔复合软管、不锈钢风帽等一系列深具新风系统实用性的产品，可满足不同客户的定制化及 OEM 代工需求。公司在行业内率先通过 ISO9001:2015 国际质量认证体系、ISO14001:2015 环境管理体系、ISO45001:2018 职业健康安全管理体系及 IAF/CNAS 等国际互认管理体系认证。

企业荣誉
Enterprise Honor





企业发明专利
Enterprise Invention Patent



企业认证
Enterprise Certification













The company has a first-class R&D and scientific research team, investing heavily in product research and development every year, carrying out independent intellectual property research and innovation, and development to maximize market demand. Currently holds multiple invention patents, utility model patents, and design patents. By deepening the production process, a series of practical products for fresh air systems have been improved, including new air systems, antibacterial and anti-static pipelines, soundproof distribution boxes, air vents, ground air supply, sterile pipelines, aluminum foil composite hoses, stainless steel air caps, etc., which can meet the customized and OEM manufacturing needs of different customers. The company is the first in the industry to pass international mutual recognition management system certifications such as ISO9001:2015 international quality certification system, ISO14001:2015 environmental management system, ISO45001:2018 occupational health and safety management system, and IAF/CNAS.

旗悦新风系统概览
Overview of Qiyue Fresh Air System



旗悦新风系统采用高效管道网络，确保室内外空气循环畅通。管道材质选用环保低阻材料，兼顾耐用性与静音性能，合理布局减少风量损耗，搭配智能风量调节，实现均匀送风与节能运行。系统设计符合行业标准，满足不同场景的通风需求。

Qiyue Fresh Air System Adopts A High-Efficiency Pipeline Network To Ensure Smooth Air Circulation Between Indoor And Outdoor Environments. The Pipeline Materials Are Eco-Friendly And Low-Resistance, Balancing Durability And Mute Performance. The Rational Layout Reduces Air Volume Loss, And When Combined With Intelligent Air Volume Adjustment, It Achieves Uniform Air Supply And Energy-Saving Operation. The System Design Complies With Industry Standards And Meets Ventilation Needs In Different Scenarios.

Page 1-22 / 1
HDPE双壁波纹洁净新风管系列
HDPE Double-Wall Corrugated Clean Fresh Air Duct
HDPE管消音分配箱
HDPE Distribution Boxes
HDPE管金属消音分配箱
HDPE Pipe Metal Silencing Distribution Box



Page 23-30 / 2
风口系列
Vent oiffuser Series



Page 31-36 / 3
不锈钢外墙风帽&地漏系列
Air Vent Cowl&Floor Drain



Page 37-60 / 4
地送风&顶送风系列
Ventlation System&Air Supply Fitting
静音净化系列
Silencing And Purificationg Series



Page 61-64 / 5
空调装饰管槽系列
Air Conditioning Decorative Pipetrough Series



HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

采用高密度聚乙烯材料，具有优良的耐低温(-70℃-100℃），耐酸碱腐蚀，电绝缘性优良，使用寿命长的特性

It Is Made Of High-Density Polyethylene (Hdpe) Material, Featuring Excellent Low-Temperature Resistance(-70℃-100℃), Acid And Alkali Corrosion Resistance, Superior Electrical Insulation, And A Long Service Life.

内壁抗静电消磁处理，低风阻，不留尘，99.94%的银离子抑菌防霉率，实现免清洗系统，确保管道系统不会出现二次污染

The Inner Wall Undergoes Antistatic And Demagnetization Treatment, Featuring Low Wind Resistance And No Dust Retention. With A 99.94% Silver Ion Antibacterial And Mildew-Proof Rate, It Achieves A Maintenance-Free Cleaning System, Ensuring No Secondary Pollution In The Pipeline System.

双壁结构设计，显著减少噪音，内壁光滑同等直径下可通过更大空气流量

Dual-Wall Structure Design, Significantly Reducing Noise. The Smooth Inner Wall Allows Larger Air Flow Under The Same Diameter.



HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct



可定制其他颜色/Other colors can be customized

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
P2	Φ75	63	75	珍珠白/Pearl White	PE	50m/卷(Roll)
P3	Φ75	63	75	深海蓝/Deep Sea Blue	PE	50m/卷(Roll)
P4	Φ75	63	75	灰白/Grayish White	PE	50m/卷(Roll)
P5	Φ75	63	75	天空蓝/Sky Blue	PE	50m/卷(Roll)
P6	Φ75	63	75	环保绿/Eco-Friendly Green	PE	50m/卷(Roll)
SY01	Φ75	63	75	荧光绿色/Fluorescent Green	PE	50m/卷(Roll)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct



可定制其他颜色/Other colors can be customized

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
Q29	Φ90	78	90	灰白/Grayish White	PE	50m/卷(Roll)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct



可定制其他颜色/Other colors can be customized

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
P99	Φ110	97	110	深海蓝/Deep Sea Blue	PE	30m/卷(Roll)
P9	Φ110	97	110	环保绿/Eco-Friendly Green	PE	30m/卷(Roll)
P89	Φ110	97	110	珍珠白/Pearl White	PE	30m/卷(Roll)
P8	Φ110	97	110	天空蓝/Sky Blue	PE	30m/卷(Roll)
P7	Φ110	97	110	灰白/Grayish White	PE	30m/卷(Roll)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct



可定制其他颜色/Other colors can be customized

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
Q19	Φ160	145	160	环保绿/Eco-Friendly Green	PE	3m/支(Pcs)
Q20	Φ160	145	160	天空蓝/Sky Blue	PE	3m/支(Pcs)
Q25	Φ160	145	160	珍珠白/Pearl White	PE	3m/支(Pcs)
Q26	Φ160	145	160	灰白/Grayish White	PE	3m/支(Pcs)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct



可定制其他颜色/Other colors can be customized

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
Q26A	Φ200	180	200	环保绿/Eco-Friendly Green	PE	3m/支(Pcs)
Q27A	Φ200	180	200	天空蓝/Sky Blue	PE	3m/支(Pcs)
Q28A	Φ200	180	200	灰白/Greyish White	PE	3m/支(Pcs)

HDPE抗菌防静电管
HDPE Antibacterial Antistatic Pipe Tube



可定制其他颜色/Other colors can be customized

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
P79A	Φ75	63	75	绿色/Green	PE	50m/卷(Roll)
Q29A	Φ90	78	90	灰白/Grayish White	PE	50m/卷(Roll)
P81A	Φ110	97	110	绿色/Green	PE	30m/卷(Roll)
Q20A	Φ160	145	160	绿色/Green	PE	3m/支(Pcs)
Q26AA	Φ200	180	200	绿色/Green	PE	3m/支(Pcs)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE新风保温管
HDPE Fresh Air Insulation Duct





内层采用HDPE双壁波纹洁净新风管，具备优异的高低温耐温性，双壁结构则有着低噪音性；

The inner layer is constructed with HDPE Double-Wall Corrugated Clean Fresh Air Duct, boasting excellent resistance to extreme high and low temperatures, while its double-wall structure offers outstanding noise reduction properties.



交联聚乙烯（独特配方）调色、闭孔、发泡、压花一次成型

Cross-linked Polyethylene (XLPE) with a proprietary formula – color matching, closed-cell, foaming and embossing achieved via one-step molding



更多应用产品

More Applied Products





外层采用独特配方，发泡、压花一次成型，在保温不易燃的同时，兼具耐摩擦、抗冲击、抗老化的特点，美观且寿命更长；独特的配方使的该产品在严酷的温度下可以防止结露，避免管道内外结露水分聚集而污染洁净空气；在老化实验中，经过200小时连续老化实验，产品不起皱、无针孔、无粉化、无裂纹，等效为8-10年的抗老化效果；本产品具有效果优异的保温性，即节约用电，又符合环保性要求

Crafted with a unique proprietary formula, the outer layer is formed in one step with integrated foaming and embossing. It combines great thermal insulation and flame retardancy with abrasion, impact and anti-aging resistance, plus a sleek look and longer lifespan. The exclusive formula stops condensation in extreme temperatures, preventing condensed moisture buildup on/inside pipelines that contaminates clean air. After a 200-hour continuous accelerated aging test, the product remains wrinkle-free, pinhole-free, chalk-free and crack-free—matching 8-10 years of real-world anti-aging performance. With high-efficiency thermal insulation, this product cuts electricity use and meets strict environmental requirements.

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
BWPE001	Φ75	80	95	蓝色/Blue	PE	30m/卷(Roll)
BWPE002	Φ75	80	95	绿色/Green	PE	30m/卷(Roll)
BWPE003	Φ110	115	125	绿色/Green	PE	15m/卷(Roll)
BWPE004	Φ110	115	125	蓝色/Blue	PE	15m/卷(Roll)

可定制其他颜色/Other colors can be customized

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE新风阻燃管
HDPE Fresh Air Insulation Duct

管身为双壁结构设计，显著减少噪音，内壁光滑同等直径下可通过更大空气流量

The pipe body adopts a double-wall structural design that significantly reduces noise, and its smooth inner wall enables a higher air flow rate under the same diameter.





移开火源后会自行熄灭

It will self-extinguish automatically after the fire source is removed.

添加高品质阻燃剂，在实现高效阻燃的同时兼顾了环保型的需求

High-quality flame retardant is added, achieving efficient flame retardancy while meeting environmental protection requirements.

甄选优质高密度聚乙烯打造双壁波纹洁净结构，基材自带优良耐温性与耐酸碱腐蚀特性，适配多场景通风环境。创新添加高效阻燃剂，双重升级高耐温与阻燃性能，离火自熄，从源头降低火灾隐患，筑牢通风安全防线。管材结构稳固，耐候抗老化，在保持洁净送风的同时，大幅延长使用寿命，是新风系统高效、安全、耐用的优选管道配件

Crafted from high-quality HDPE with a double-wall corrugated clean structure, the base material boasts excellent thermal resistance and acid & alkali corrosion resistance, adapting to ventilation scenarios of various types. Innovative addition of high-efficiency flame retardant dual-upgrades its high temperature resistance and flame retardancy, enabling self-extinguishing after leaving the fire source. It eliminates fire hazards from the source and fortifies the safety line for ventilation. With a stable structure, outstanding weather and aging resistance, it ensures clean air supply while greatly extending service life, serving as an optimal, high-efficiency, safe and durable pipeline accessory for fresh air systems.

编号 Item No.	型号 Model	A/ID (mm)	B/OD (mm)	颜色 (Color)	材质 Matl	包装 Package
P97	Φ75	63	75	绿色/Green	PE	50m/卷(Roll)
P98	Φ110	97	110	绿色/Green	PE	50m/卷(Roll)
P99	Φ160	145	160	绿色/Green	PE	3m/支(Pcs)
P100	Φ200	180	200	绿色/Green	PE	3m/支(Pcs)

可定制其他颜色/Other colors can be customized

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE管同心变径
Concentric Reducer



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
Q08	Φ110-75	75	110	120	ABS	120个(Pcs)
Q37	Φ160-110	110	160	133	ABS	88个(Pcs)
Q38	Φ200-160	160	200	136	ABS	55个(Pcs)

HDPE管直接
Straight Joint



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
P14	Φ75	80	80	75	ABS	315个(Pcs)
P15	Φ110	90	115	110	ABS	120个(Pcs)
P16	Φ160	110	165	160	ABS	53个(Pcs)
S1	Φ200	120	205	200	ABS	30个(Pcs)

HDPE管弯接
90 Oegree Elbow



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
P23	Φ75	145	145	75	80	ABS	120个(Pcs)
P24	Φ110	190	190	110	115	ABS	45个(Pcs)
P22	Φ160	210	210	160	165	ABS	19个(Pcs)
P85	Φ200	275	275	200	205	ABS	12个(Pcs)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE管弯接
45 Oegree Elbow



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
P29	Φ160	115	115	160	165	ABS	28个(Pcs)

HDPE管正三通
T Tee



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
Q21	Φ75	190	75	75	75	ABS	84个(Pcs)
P71	Φ110	240	110	110	110	ABS	35个(Pcs)
Q72	Φ110*2-75	175	110	75	110	ABS	54个(Pcs)
Q73	Φ160	265	160	160	160	ABS	16个(Pcs)
Q74	Φ160*2-110	282	160	110	160	ABS	16个(Pcs)
Q75	Φ200*2-160	277	200	160	200	ABS	12个(Pcs)
Q76	Φ200	338	200	200	200	ABS	12个(Pcs)

HDPE管斜侧三通
Lateral Tee



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
Q16	Φ75	190	165	75	75	ABS	84个(Pcs)
P25	Φ110*2-75	200	210	110	75	ABS	46个(Pcs)
P26	Φ110	240	210	110	110	ABS	30个(Pcs)
P27	Φ160*2-110	250	260	160	110	ABS	16个(Pcs)
P30	Φ160	329	337	160	160	ABS	10个(Pcs)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE管Y型三通
Y Tee



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
P72	Φ110-75*2	215	180	110	75	ABS	50个(Pcs)
Q07	Φ160-110*2	240	240	160	110	ABS	24个(Pcs)
Q73A	Φ200-160*2	300	337	200	160	ABS	8个(Pcs)

HDPE管U型四通
U Tee



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
Q74A	Φ110-75*3	235	272	110	75	ABS	32个(Pcs)
Q77A	Φ160-75*3	230	255	160	75	ABS	24个(Pcs)
Q75A	Φ160-110*3	///	///	///	///	ABS	15个(Pcs)
Q76A	Φ200-110*3	310	379	200	110	ABS	8个(Pcs)
Q78A	Φ200-160*3	///	///	///	///	ABS	16个(Pcs)

HDPE管90款弯接
HDPE Pipe 90mm Elbow



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
XWT90	Φ90	155	155	90	98	ABS	40个(Pcs)

HDPE管90款直接
HDPE Pipe 90mm Straight Coupling



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
XZJ90	Φ90	113	98	90	ABS	80个(Pcs)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE90款承插件（带风阀）
HDPE 90mm Socket Fitting (with Air Valve)



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
XCJ90	Φ90	93	120	90	ABS	80个(Pcs)

HDPE承插件（带风阀）
HDPE Air Distribution Box Connector (with air valve)



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
P57	Φ75	75	98	75	ABS	288个(Pcs)
P58	Φ110	95	130	110	ABS	120个(Pcs)

PE承插件
Air Distibution Box Connector



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
QY24001	Φ75	70	98	74	85	ABS	144个(Pcs)

HDPE管风口承插筒(双头)
HDPE Tuyere Socket - Double Head



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	材质 Matl	包装 Package
P28	Φ100-75*2	165	205	127	100	75	///	ABS	40个(Pcs)

HDPE管风口承插筒(双头)
HDPE Tuyere Socket - Double Head



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	材质 Matl	包装 Package
P31	Φ125-75*2	125	130	325	210	80	75	PP	10个(Pcs)
P32	Φ125-90*2	125	///	394	///	///	90	PP	7个(Pcs)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE管风口承插筒(三头)
HDPE Tuyere Socket - Three Head



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	材质 Matl	包装 Package
KY26021	Φ125-75*3	248	315	447	125	128	95	PP	/Pcs

E悦调风阀
Air Volume Controlling Socket



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	材质 Matl	包装 Package
QY26015	Φ75	76	35	107	82	53	108	ABS	96个(Pcs)

HDPE 分风箱堵头
HDPE Distributor Plug



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
P75	Φ75	75	16	///	ABS	100个(Pcs)
FXPT011	Φ110	110	22	///	ABS	100个(Pcs)
XDT90	Φ90	90	///	///	ABS	100个(Pcs)

E悦末端套装
E-Yue End Set



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
EY01	Φ75	75	75	900	ABS	50个/箱(Box)

E悦末端套装
E-Yue End Set



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
EY06	Φ110-125	110	125	900	ABS	40个/箱(Box)
EY02	Φ110	110	100	900	ABS	40个/箱(Box)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

末端风口连接件
Airvent Connection Hose



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
L357	45° Φ75-60(cm)	75	60	900	ABS	136个(Pcs)
L370	45° Φ75-90(cm)	75	90	900	ABS	120个(Pcs)
L371	Through Φ110-90(cm)	110	110	900	ABS	90个(Pcs)

新款末端套装
New Airvent Connection Hose



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
L370A	45° Φ75-90(cm)	75	90	900	ABS	62支/箱(Box)
L371A	Through Φ110-90(cm)	90	110	900	ABS	60支/箱(Box)

HDPE管吊排一体卡
Multi Purpose Pipe Clamp



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
MA3	Φ75	110	85	75	PP	455个(Pcs)
XDPK90	Φ90	127	105	90	PP	300个(Pcs)
MA4	Φ110	145	125	110	PP	234个(Pcs)
MA5	Φ160	195	175	160	PP	122个(Pcs)
MA6	Φ200	240	213	200	PP	80个(Pcs)

HDPE管道排卡
Pipe Clip



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
P11	Φ75	///	///	///	PP	800个(Pcs)
XK90	Φ90	///	///	///	PP	500个(Pcs)
P12	Φ110	///	///	///	PP	600个(Pcs)

空调通风管道管卡
Pipe Clamp



颜色（Color）：可定制（Customizable）

编号 Item No.	型号 Model	内径 Diameter	宽度 Width	材质 Matl	包装 Package
39174	Φ22	22-24	38mm	尼龙/Nylon	///
39175	Φ40	34-37	38mm	尼龙/Nylon	2300个(Pcs)
P322	Φ45	42-46	38mm	尼龙/Nylon	850个(Pcs)
39177	Φ55	52-56	38mm	尼龙/Nylon	650个(Pcs)
P19	Φ63	58-66	38mm	尼龙/Nylon	550个(Pcs)
P20	Φ76	74-80	38mm	尼龙/Nylon	450个(Pcs)
39176	Φ90	80-90	38mm	尼龙/Nylon	350个(Pcs)
P21	Φ110	110-120	38mm	尼龙/Nylon	270个(Pcs)

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

HDPE管堵
Pipe Plug



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
MA1	Φ75	75	77	25	ABS	1000个(Pcs)
MA2	Φ110	110	112	25	ABS	1000个(Pcs)

硅胶密封圈
Silicone Sealing Ring

颜色（Color）：

编号 Item No.	型号 Model	颜色 Color	材质 Matl	包装 Package
P17	Φ75	透明白 Transparent White	硅胶 Silica Gel	100个(Pcs)
XMF	Φ90	透明白 Transparent White	硅胶 Silica Gel	100个(Pcs)
P18	Φ110	透明白 Transparent White	硅胶 Silica Gel	100个(Pcs)
P64	Φ160	透明白 Transparent White	硅胶 Silica Gel	100个(Pcs)

HDPE管辅助弯头
HDPE Ziliary Elbow



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
Q09	Φ75	87	150	///	ABS	200个(Pcs)

HDPE管专用割刀
Pipe Cutter



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	颜色 Color	材质 Matl	包装 Package
P86	Φ75	///	///	Black	PP	100个(Pcs)
P87	Φ110	///	///	Black	PP	100个(Pcs)
Q34	Φ160	///	///	Black	PP	100个(Pcs)

带胶管卡
Pipe Clamp With Rubber



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
L395	Φ160	160	211	25	Metal +rubber	300个（Pcs）
L396	Φ200	200	246	25	Metal +rubber	200个（Pcs）

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

新风软性接头
Fresh Air Flexible Duct Connector



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	包装 Package
QY27007	Φ110	95-110	117	110	100套(Set)/箱(Box)
QY27008	Φ160	142-160	117	160	96套(Set)/箱(Box)
QY27009	Φ200	190-200	121	200	72套(Set)/箱(Box)
QY270010	Φ160-110	140-160	160	110	100套(Set)/箱(Box)

产品特点 \Product Product Features



优异的尺寸适配性
Excellent Size Compatibility

产品使用优质弹性材料，弹性大，寿命长，环保无异味，不再单个尺寸对应一个产品，可以宽幅适配多种尺寸多种接头，多种产品；

This product is made of premium elastic materials, boasting high elasticity, a long service life, eco-friendliness and zero peculiar smell. It breaks the one-size-for-one-product constraint and features wide compatibility with various sizes, connectors and product types.

更广的产品适用性
Wider Product Applicability

在弹性材料的加持下，该款产品不再局限于只对应某个产品使用，大幅度扩展到多种产品，多种接头，让您无需来回挑选；

Backed by premium elastic materials, this product breaks the one-product-only usage limitation and is widely compatible with a variety of products and connectors – saving you the hassle of repeated selection.



可搭配金属材质/异形接头
Flange Joints Suitable for
Metal Materials / Irregular-Shaped Surfaces



可搭配塑料材质/光滑面接头
Flange Joints Suitable for
Plastic Materials / Smooth Surfaces

HDPE双壁波纹洁净新风管
HDPE Double-Wall Corrugated Clean Fresh Air Duct

金属圆接头
Metal Circular Connector



注:默认为银灰色喷涂，如需毛胚或者喷涂其他颜色需定制
Note: The default finish is silver gray coating. If a blank (unfinished) versionor coating in other colors is required, customization is needed.

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	孔位 Hole Position	包装 Package
KTFL75	Φ75	73	48	97	89	4.5	6 Holes Evenly Distributed	168个(Pcs)
KTFL100	Φ100	95	53	119	111	4.5	6 Holes Evenly Distributed	120个(Pcs)
KTFL110	Φ110	103	53	126	118	4.5	6 Holes Evenly Distributed	120个(Pcs)
KTFL120	Φ120	115	56	140	132	4.5	6 Holes Evenly Distributed	120个(Pcs)
KTFL150	Φ150	145	58	168	160	4.5	6 Holes Evenly Distributed	72个(Pcs)
KTFL160	Φ160	158	60	180	174	4.5	6 Holes Evenly Distributed	72个(Pcs)
KTFL200	Φ200	195	60	224	216	4.5	6 Holes Evenly Distributed	54个(Pcs)
KTFL250	Φ250	245	62	275	267	4.5	6 Holes Evenly Distributed	36个(Pcs)
KTFL300	Φ300	295	65	327	327	4.5	6 Holes Evenly Distributed	20个(Pcs)

塑料圆接头
Plastic Circular Connector



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	孔位 Hole Position	包装 Package
D240	Φ100	94	80	178	165	5.0	4Holes Evenly Distributed	120个(Pcs)
D240A	Φ110	109	55	178	165	4.0	6 Holes Evenly Distributed	120个(Pcs)
FXPT12	Φ125	120	60	178	146	4.0	6 Holes Evenly Distributed	120个(Pcs)
D241	Φ150	145	60	178	165	5.0	6 Holes Evenly Distributed	108个(Pcs)
KSX160	Φ160	153	48	182	166	4.0	4 Holes Evenly Distributed	108个(Pcs)
Q05	Φ200	195	73	230	215	5.0	6 Holes Evenly Distributed	72个(Pcs)
Q06	Φ250	245	81	280	266	4.5	6 Holes Evenly Distributed	48个(Pcs)

HDPE管消音分配箱
HDPE Distribution Boxes

HDPE管消音分配箱
HDPE Distribution Boxes



产品多角度视图 \Multi angle view of the product







产品特点 \Product Features

旗悦分风静压箱在多管道送风时，能保证各风管的风压一致，使动压全部转化为静压，再平均分配到各风管中，每个风管连接件都带有风量调节阀，也可以进行风量的调节分配。

When Using Multiple Ducts For Air Supply, The Qiyue Wind Static Pressure Box Can Ensure That The Air Pressure In Each Duct Is Consistent,Converting All Dynamic Pressure Into Static Pressure And Evenly Distributing It To Each Duct. Each Duct Connector Is Equipped With An Air Volume Regulating Valve, Which Can Also Adjust And Distribute The Air Volume.

HDPE管消音分配箱
HDPE Distribution Boxes

ABS材质接口，主入口100mm、110mm、125mm、150mm三种，满足不同规格口径新风机器，与旗悦HDPE双壁波纹新风管110与160可直接承插，实现新风安装更环保。

ABS Material Interface, With Three Main Inlet Sizes Of 100mm, 110mm, And 150mm, Suitable For Different Specifications Of Fresh Air Machines. It Can Be Directly Plugged Into Qiyue Hdpe Double Wall Corrugated Fresh Air Ducts 110 And 160, Achieving More Environmentally Friendly Installation Of Fresh Air.

箱体外观设计符合最佳流体动力学，完美解决主机动压带出的噪音。

The Exterior Design Of The Box Conforms To The Best Fluid Dynamics, Perfectly Solving The Noise Caused By The Dynamic Pressure Of The Main Engine.

采用阻燃环保吸音棉，让旗悦分配箱“静”和“压”达到最高效率。

Using Flame-Retardant And Environmentally Friendly Sound-Absorbing Cotton, The Qiyue Distribution Box Achieves Maximum Efficiency In Terms Of "Static" And "Pressure".

配置有安装定位板，简化繁琐的安装流程

Equipped with an installation positioning plate, it simplifies the cumbersome installation process.

产品尺寸 \Product Dimensions



编号 Item No.	型号 Model	材质 Matl	包装 Package
P90	Φ100-75*7	ABS	6 套(Set)/箱(Box)
P90B	Φ110-75*7	ABS	6 套(Set)/箱(Box)
P90C	Φ125-75*7	ABS	6 套(Set)/箱(Box)
P91	Φ150-75*7	ABS	6 套(Set)/箱(Box)

HDPE管金属消音分配箱
HDPE pipe metal silencing distribution box



产品细节 \Product Details



镀锌钢板
Galvanized Steel Plate



蛋格消音棉
Egg Crate Soundproof Cotton

产品特点 \Product Features

箱体采用镀锌钢板，强韧抗老化、防锈耐腐蚀、性质稳定，有效防止二次污染

The Box Is Made Of Galvanized Steel Plate, Which Is Strong And Resistant To Aging, Rust And Corrosion, And Has Stable Properties, Effectively Preventing Secondary Pollution

内置蛋格消音棉，有效降低中央新风系统，中央空调系统因大风量产生的风噪，还您一个安静舒适的室内环境

Built In Egg Grid Sound-Absorbing Cotton Effectively Reduces The Wind Noise Generated By The Central Fresh Air System Due To High Air Volume, Providing You With A Quiet And Comfortable Indoor Environment

合理的外部结构设计让施工及安装更加简单，是新风系统客户的理想选择

Reasonable External Structural Design Makes Construction And Installation Simpler, Making It An Ideal Choice For Customers Of Fresh Air Systems

箱体分风管道接口处做了预切处理，① 仅需在使用对应接口的时候打开该区域盖板即可使用，更加省心方便

The Interface Of The Air Duct In The Box Has Been Pre Cut, ① And Only The Cover Plate In That Area Needs To Be Opened When Using The Corresponding Interface, Which Is More Convenient And Worry Free

多元化定制 \Diversified Customization

箱体高度定制化，作为新风管道行业的超级工厂我们从箱体的色彩到材质以及更加重要的开孔位置均可进行自由定制以满足安装要求

The Box Is Highly Customized. As A Super Factory In The Fresh Air Duct Industry, We Can Freely Customize The Color, Material, And More Important Opening Positions Of The Box To Meet Installation Requirements

确认色彩
Confirm color



更多色彩可详询/More colors can be inquired for more details

确认材质及工艺
Confirm material and process



更多材质及表面处理工艺可详询/More materials and surface treatment processes can be inquired for details

确认开孔位置
Confirm the position of the opening



更多开孔位置可详询/More opening positions can be inquired for details







HDPE管金属消音分配箱
HDPE Pipe Metal Silencing Distribution Box

HDPE管金属消音分配箱 （100/120/150mm-75mm*6）
HDPE Pipe Metal Silencing Distribution Box（100/120/150mm-75mm*6）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P38	Φ100-75*6	320	230	195	Φ94	75	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)
P39A	Φ125-75*6	320	230	195	Φ125	75		1套(Set)/箱(Box)
P39	Φ150-75*6	320	230	195	Φ145	75		1套(Set)/箱(Box)

HDPE管金属消音分配箱 （110/125/150mm-75mm*8/10/12）
HDPE Pipe Metal Silencing Distribution Box（110/125/150mm-75mm*8/10/12）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P40	Φ110-75*8/10/12	350	350	205	Φ109	75	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)
P41	Φ125-75*8/10/12	350	350	205	Φ120	75		1套(Set)/箱(Box)
P42	Φ150-75*8/10/12	350	350	205	Φ145	75		1套(Set)/箱(Box)

HDPE管金属消音分配箱
HDPE Pipe Metal Silencing Distribution Box

HDPE管金属消音分配箱 （150mm-110mm*6）
HDPE Pipe Metal Silencing Distribution Box（150mm-110mm*6）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P43	Φ150-110*6	349	349	204	Φ145	110	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)

HDPE管金属消音分配箱 （200mm-110mm*6/8）
HDPE Pipe Metal Silencing Distribution Box（200mm-110mm*6/8）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P48/P49	Φ200-110*6/8	393	294	269	Φ195	110	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)

HDPE管金属消音分配箱
HDPE Pipe Metal Silencing Distribution Box

HDPE管金属消音分配箱 （200mm-110mm*10/12）
HDPE Pipe Metal Silencing Distribution Box（200mm-110mm*10/12）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P50/P51	Φ200-110*10/12	393	389	294	Φ195	110	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)

HDPE管金属消音分配箱 （250mm-110mm*6）
HDPE Pipe Metal Silencing Distribution Box（250mm-110mm*6）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P52	Φ250-110*6	393	390	295	Φ245	110	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)

HDPE管金属消音分配箱
HDPE Pipe Metal Silencing Distribution Box

HDPE管金属消音分配箱 （250mm-110mm*8）
HDPE Pipe Metal Silencing Distribution Box（250mm-110mm*8）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P53	Φ250-110*8	393	390	295	Φ245	110	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)

HDPE管金属消音分配箱 （250mm-110mm*10/12）
HDPE Pipe Metal Silencing Distribution Box（250mm-110mm*10/12）





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
P54	Φ250-110*10	530	491	302	Φ245	110	镀锌板+消音棉 Galvanized Steel Plate + Soundproof Cotton	1套(Set)/箱(Box)
P55	Φ250-110*12	530	491	302	Φ245	110		1套(Set)/箱(Box)



精致风口

融于家居不显突兀。简约大气藏巧思，设计精良易安装，新风悄至焕活空间

Blending Seamlessly Into Your Home Without Being Obtrusive. Simple Yet Elegant Design Conceals Ingenious Ideas, Thoughtfully Crafted For Easy Installation, Fresh Air Arrives Quietly To Revitalize Your Space

E悦散流器
E-Yue Diffuser



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
DP01	125mm	183	123	80	12	ABS	7个(Pcs)

产品细节 \Product Details



旋转盖板调节风量
Adjust Air Volume via Rotating Cover Plate



E悦散流器（DP01)连接组合方式
E-YUE Diffuser(DP01)Connection Composition

E悦散流器
E-Yue Diffuser



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
XP01	125mm	183	123	69	15	132	ABS	8个(Pcs)

产品细节 \Product Details



旋转盖板调节风量
Adjust Air Volume via Rotating Cover Plate



E悦散流器（XP01)连接组合方式
E-YUE Diffuser(XP01)Connection Composition

风口系列
Vent Diffuser

圆盘风口
Ceiling Vent Diffuser



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
F77	Φ75	70	115	73	ABS+PP	120个（Pcs）
F78	Φ100	94	145	73	ABS+PP	120个（Pcs）
F79	Φ125	116	168	80	ABS+PP	100个（Pcs）
F80	Φ150	146	210	74	ABS+PP	72个（Pcs）
F81	Φ200	193	265	80	ABS+PP	54个（Pcs）

直百叶风口
Ceiling Vent Diffuser



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
F82	Φ75	70	115	73	ABS+PP	120个（Pcs）
F83	Φ100	94	145	73	ABS+PP	120个（Pcs）
F84	Φ125	116	168	80	ABS+PP	100个（Pcs）
F85	Φ150	146	210	74	ABS+PP	72个（Pcs）
F86	Φ200	200	260	90	ABS+PP	54个（Pcs）

斜百叶密网风口
Ceiling Vent Diffuser



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
F87	Φ75	70	115	73	ABS+PP	210个（Pcs）
F88	Φ100	94	145	73	ABS+PP	180个（Pcs）
F89	Φ125	116	168	80	ABS+PP	100个（Pcs）
F90	Φ150	146	210	74	ABS+PP	96个（Pcs）
F91	Φ200	200	260	90	ABS+PP	54个（Pcs）

旋流风口
Ceiling Vent Diffuser



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
F72	Φ75	70	115	73	ABS+PP	210个（Pcs）
F73	Φ100	94	145	73	ABS+PP	180个（Pcs）
F74	Φ125	116	168	80	ABS+PP	100个（Pcs）
F75	Φ150	146	210	74	ABS+PP	96个（Pcs）
F76	Φ200	200	260	90	ABS+PP	54个（Pcs）

风口系列
Vent Diffuser

超薄风口
Ultra-thin Vent Diffuse



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
CBFK001	Φ75	140	67	95	73	25	ABS	60个(Pcs)
CBFK002	Φ100	140	96	66	///	///	ABS	60个(Pcs)

产品特点 \Product Highlights



极致纤薄的风口盖板，于眼前精致美观，于生活无感存在；为了让纤薄的盖板稳固不变形，使用了更好的材料来增加强度与使用寿命。

Ultra-slim air outlet cover plates that boast exquisite beauty in sight and blend seamlessly into daily life without being obtrusive. To keep these sleek cover plates stable and non-deformable, premium materials are adopted to boost their structural strength and extend service life.

无感调节风口风量，无档位设计，通过转动中心的旋转轴让您可以细微的调整风量

Seamless air volume adjustment for the air outlet, featuring a stepless design. Simply rotate the central shaft to fine-tune the air volume with precision.



全关状态
Fully Closed



半开状态
Half Open



全开状态
Fully Open

预埋风口
Recessed Vent Diffuse



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	材质 Matl	包装 Package
YMFK001	Φ75	140	67	95	73	25	ABS	60个(Pcs)
YMFK002	Φ100	140	96	66	///	///	ABS	60个(Pcs)

风口系列
Vent Diffuser

仿瓷风口
Porcelain imitationg tuyere



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
F69	Φ75	72	122	59	///	ABS	100个(Pcs)
F70	Φ100	97	145	60	///	ABS	80个(Pcs)
F71	Φ150	146	210	63	///	ABS	30个(Pcs)

多彩风口
Colorful Vent Diffuse



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
F131	Φ75	70	115	73	///	ABS	///
F138	Φ100	94	145	73	///	ABS	///

旋悦风口
Xuan Yue Vent Diffuse



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
F103	Φ75	70	115	73	///	ABS	80个(Pcs)
F104	Φ100	94	145	73	///	ABS	60个(Pcs)

圆形排气/进气风口
Ceiling Vent Diffuser



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
F101	Φ75	67	120	50	///	ABS	80个(Pcs)
F102	Φ110	97	160	60	///	ABS	60个(Pcs)

风口系列
Vent Diffuser

圆形斜百叶排气/进气风口
Circular Inclined Louver Exhaust/Intake Vents



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
QAEL01	Φ100	99	124	50	铝 Aluminum	60个(Pcs)
QAEL02	Φ125	///	///	///	铝 Aluminum	60个(Pcs)
QAEL03	Φ150	149	179	45	铝 Aluminum	60个(Pcs)
QAEL04	Φ200	///	///	///	铝 Aluminum	15个(Pcs)
QAEL05	Φ250	///	///	///	铝 Aluminum	13个(Pcs)

金属圆形风口
Metal circular air outlet



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl
QYE01	Φ80	79	115	50	冷轧板+镀锌板/SPCC+GI
QYE02	Φ100	99	138	50	冷轧板+镀锌板/SPCC+GI
QYE03	Φ125	124	164	50	冷轧板+镀锌板/SPCC+GI
QYE04	Φ150	149	202	50	冷轧板+镀锌板/SPCC+GI
QYE05	Φ160	159	208	50	冷轧板+镀锌板/SPCC+GI
QYE06	Φ200	199	248	50	冷轧板+镀锌板/SPCC+GI
QYE07	Φ250	249	305	45	冷轧板+镀锌板/SPCC+GI

金属圆形风口
Metal circular air outlet



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl
QYE08	Φ80	79	115	50	冷轧板+镀锌板/SPCC+GI
QYE09	Φ100	99	138	50	冷轧板+镀锌板/SPCC+GI
QYE10	Φ125	124	164	50	冷轧板+镀锌板/SPCC+GI
QYE11	Φ150	149	202	50	冷轧板+镀锌板/SPCC+GI
QYE12	Φ160	159	208	50	冷轧板+镀锌板/SPCC+GI
QYE13	Φ200	199	248	50	冷轧板+镀锌板/SPCC+GI
QYE14	Φ250	249	305	45	冷轧板+镀锌板/SPCC+GI

金属圆形风口
Metal circular air outlet



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl
QYE15	Φ80	68	108	79	冷轧板+镀锌板/SPCC+GI
QYE16	Φ100	68	135	99	冷轧板+镀锌板/SPCC+GI
QYE17	Φ125	68	165	124	冷轧板+镀锌板/SPCC+GI
QYE18	Φ150	68	190	149	冷轧板+镀锌板/SPCC+GI
QYE19	Φ160	68	195	159	冷轧板+镀锌板/SPCC+GI
QYE20	Φ200	68	230	199	冷轧板+镀锌板/SPCC+GI

风口系列
Vent Diffuser

金属圆盘风口
Metal Disc Air Grille



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl
QYE21	Φ80	56	108	79	冷轧板+镀锌板/SPCC+GI
QYE22	Φ100	56	135	99	冷轧板+镀锌板/SPCC+GI
QYE23	Φ125	56	160	124	冷轧板+镀锌板/SPCC+GI
QYE24	Φ150	56	190	149	冷轧板+镀锌板/SPCC+GI
QYE25	Φ160	56	195	159	冷轧板+镀锌板/SPCC+GI
QYE26	Φ200	56	130	199	冷轧板+镀锌板/SPCC+GI

方形活百叶排气/进气风口
Square Adjustable Louver Exhaust/Intake Air Grille



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl
QYE27	Φ100	99	140	48	PP
QYE28	Φ125	124	175	40	PP
QYE29	Φ150	149	175	48	PP
QYE30	Φ200	199	228	48	PP

方形斜百叶密网排气/进气风口
Square Inclined Louver Dense-Mesh Exhaust/Intake Air Grille



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl
QYE31	Φ100	99	140	48	PP
QYE32	Φ125	124	175	40	PP
QYE33	Φ150	149	175	48	PP
QYE34	Φ200	199	228	48	PP

方形格栅密网排气/进气风口
Square Grid Dense-Mesh Exhaust/Intake Air Grille



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl
QYE35	Φ100	99	140	48	PP
QYE36	Φ125	124	175	40	PP
QYE37	Φ150	149	175	48	PP

风口系列
Vent Diffuser

方形排气/进气风口
Square Air Inlet



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
F105	Φ75	68	185	50	///	ABS	40个(Pcs)
F106	Φ100	97	185	50	///	ABS	40个(Pcs)

产品特点 \ Product Features



完全打开
Open

部分打开
Partially Open

完全关闭
Close

面板可拆卸清洗，内部有开闭式设计调节风量大小，更具人性化。安装方便，每个风口附有安装螺丝，密封条，进风效果更为有效。

The panel can be disassembled for cleaning, andthere is an open close design inside to adjust the air flow.The quantity is more humanized. Easy to install, each air outlet comes withInstall screws and sealing strips for more effective air intake.

按压风口
Press The Tuyere



颜色（Color）：

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
F95	Φ75	76	139	62	///	ABS	100个(Pcs)
F96	Φ100	96	160	65	///	ABS	60个(Pcs)
F97	Φ150	142	205	60	///	ABS	30个(Pcs)

产品特点 \ Product Features





按压一次
First Press

按压两次
Second Press

再次按压关闭
Press again to close

不锈钢外墙风帽&地漏系列
Air Vent Cowl&Floor Drain



多种制作工艺，有效抵抗空气中不良环境因素影响，防锈防腐蚀性能更强

Various Manufacturing Processes Effectively Resist The Adverse Environmental Factors In The Air, Providing Superior Anti-Corrosion And Rust-Proof Performance

防风雨设计，减少强风雨水的侵蚀，有效防止外墙开裂发霉

Wind And Rain-Resistant Design, Minimizing Erosion From Heavy Rain And Wind, Effectively Preventing Cracks And Mold Growth On Exterior Walls

流线外观设计，美观的同时可以显著降低风噪及雨水拍打的噪音

Streamlined Exterior Design Offers Aesthetic Appeal While Significantly Reducing Wind Noise And Rain Impact Noise

不锈钢外墙风帽&地漏系列
Air Vent Cowl&Floor Drain

不锈钢喷涂风帽
Stainless Steel Rain Cap



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	颜色 Color
B220	Φ100	97	139	43	108	304	可定制 Customizable
B222	Φ125	115	152	46	116	304	可定制 Customizable
B223	Φ150	144	189	50	136	304	可定制 Customizable

产品细节 \Product Details



一体式弹簧倒钩片
大幅提升产品牢固度及质感
One-Piece Spring Barb Plate
Greatly Improve Product Firmness and Texture



内置排水口
有效防止雨水倒灌
Built-in Drain Outlet
Effectively Prevent Rainwater Backflow



网面阻隔
阻挡鸟、鼠进入且不降低风量
Mesh barrier
Block birds and mice from entering without reducing air volume



内含挡水板
有效防止雨水倒灌
With Built-in Water Baffle
Effectively Prevent Rainwater Backflow



45°不锈钢百叶
有效防止雨水卷入
45-Degree Stainless Steel Louver
Effectively Prevent Rainwater Entrainment

不锈钢喷涂平头风帽
Stainless Steel Spray Flat Head Hood



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl
BPT100	Φ100	97	139	43	53	304
BPT125	Φ125	115	152	46	58	304
BPT150	Φ150	144	189	50	63	304

产品细节 \Product Details







不锈钢外墙风帽&地漏系列
Air Vent Cowl&Floor Drain

不锈钢方形风帽
Stainless Steel Exterior Wall Air Hood

采用304 不锈钢材质与铆钉冷压连接工艺，兼顾了坚固耐用性与抗腐蚀能力，能在沿海、高湿、工业污染等恶劣环境中长期稳定运行

Crafted from 304 stainless steel with a cold-pressed rivet connection process, it achieves an optimal balance of robust durability and corrosion resistance, enabling long-term stable operation in harsh environments such as coastal areas, high-humidity regions and industrial-polluted zones.





提供 160mm、250mm 等大口径规格，超大通风截面可满足工业厂房、商业中庭、大型公寓等大空间的换气需求。方形底座采用模块化设计，可灵活适配EPP、柔性管、PVC管道等，兼容各类新风与排风系统。

Available in large-caliber specifications such as 160mm and 250mm, its ultra-large ventilation cross-section can meet the air exchange demands of large spaces including industrial workshops, commercial atriums and large apartment buildings. The square base adopts a modular design, which can be flexibly adapted to EPP, flexible pipes, PVC pipes and other piping types, and is compatible with various fresh air and exhaust air systems.

产品细节 \Product Details



简易拆卸面板
降低维护成本
Easily detachable panel
Reduced maintenance costs



加强密封结构
防止缝隙密闭不充分
Reinforced sealing structure
Prevent insufficient gap sealing



网面阻隔
阻挡鸟、鼠进入且不降低风量
Mesh barrier
Block birds and mice from entering without reducing air volume



内置排水口
有效防止雨水倒灌
Built-in Drain Outlet
Effectively Prevent Rainwater Backflow



45°不锈钢百叶
有效防止雨水卷入
45-Degree Stainless Steel Louver
Effectively Prevent Rainwater Entrainment



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
JA001	Φ160	280	280	95	160	304	/Pcs
JA004	Φ250	370	370	100	250	304	/Pcs

可定制其他颜色/Other colors can be customized

不锈钢外墙风帽&地漏系列
Air Vent Cowl&Floor Drain

不锈钢密网风帽(201)
Stainless Steel Rain Cap(Polished/201)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B163	Φ60	55	120	38	90	201	300个/(Pcs)
B164	Φ70	67	120	40	95	201	300个/(Pcs)
B165	Φ80	72	120	36	90	201	300个/(Pcs)
B166	Φ100	98	140	40	95	201	250个/(Pcs)
B167	Φ120	113	145	35	95	201	250个/(Pcs)
B168	Φ150	143	180	50	140	201	140个/(Pcs)
B169	Φ160	155	185	50	140	201	150个/(Pcs)
B170	Φ180	175	220	60	160	201	100个/(Pcs)
B171	Φ200	186	220	60	170	201	100个/(Pcs)
B172	Φ250	245	325	70	200	201	30个/(Pcs)
B173	Φ300	293	325	60	190	201	24个/(Pcs)

不锈钢密网风帽(304)
Stainless Steel Rain Cap(Polished/304)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B174	Φ70	67	120	40	95	304	300个/(Pcs)
B175	Φ80	72	120	36	90	304	300个/(Pcs)
B176	Φ100	98	140	40	95	304	210个/(Pcs)
B177	Φ120	113	145	35	95	304	216个/(Pcs)
B178	Φ150	143	180	50	140	304	125个/(Pcs)
B179	Φ160	155	185	50	140	304	125个/(Pcs)
B180	Φ180	175	220	60	160	304	100个/(Pcs)
B181	Φ200	186	220	60	170	304	100个/(Pcs)
B182	Φ250	245	325	70	200	304	30个/(Pcs)
B183	Φ300	293	325	60	190	304	24个/(Pcs)

不锈钢平头风帽(201)
Flat Head Stainless Steel Rain Cap(201)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B184	Φ70	65	117	37	41	201	400个(Pcs)
B185	Φ80	73	117	34	39	201	400个(Pcs)
B186	Φ100	96	140	39	44	201	360个(Pcs)
B187	Φ120	114	141	38	42	201	360个(Pcs)
B188	Φ150	145	177	49	52	201	225个(Pcs)
B189	Φ160	155	190	47	52	201	225个(Pcs)
B190	Φ180	173	224	60	64	201	160个(Pcs)
B191	Φ200	186	224	60	63	201	160个(Pcs)

不锈钢外墙风帽&地漏系列
Air Vent Cowl&Floor Drain

不锈钢平头风帽(304)
Flat Head Stainless Steel Rain Cap(304)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B192	Φ100	96	140	39	44	304	360个(Pcs)
B193	Φ150	145	177	49	52	304	225个(Pcs)
B194	Φ180	173	224	60	64	304	160个(Pcs)
B195A	Φ200	186	224	60	63	304	160个(Pcs)

不锈钢方形风罩(304)
Air Vent(304)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
B210	8inch (300mmx300mm)	350	350	250	304	20个(Pcs)
B211	10inch (350mmx350mm)	400	400	280	304	20个(Pcs)
B212	12inch (380mmx380mm)	430	430	310	304	20个(Pcs)
B213	14inch (400mmx400mm)	455	455	340	304	20个(Pcs)

不锈钢方形风罩(201)
Air Vent(201)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Matl	包装 Package
B206	8inch (300mmx300mm)	350	350	250	201	20个(Pcs)
B207	10inch (350mmx350mm)	400	400	280	201	20个(Pcs)
B208	12inch (380mmx380mm)	430	430	310	201	20个(Pcs)
B209	14inch (400mmx400mm)	455	455	340	201	20个(Pcs)

不锈钢U型风帽
U-Shaped Stainless Steel Hood



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	材质 Matl	包装 Package
B226	Φ100	98	33	75	145	30	145	115	201	80个（Pcs）
B227	Φ150	145	45	120	160	50	205	160	201	60个（Pcs）

不锈钢外墙风帽&地漏系列
Air Vent Cowl&Floor Drain

不锈钢平头地漏(304)
Floor Drain(304)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B214	Φ50	37	43	55	25	304	500个(Pcs)
B215	Φ75	42	65	84	40	304	400个(Pcs)
B216	Φ110	45	102	125	42	304	300个(Pcs)
B217	Φ160	47	150	178	43	304	150个(Pcs)

不锈钢平头地漏(201)
Floor Drain(201)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B195	Φ50	37	43	55	25	201	500个(Pcs)
B196	Φ75	42	65	84	40	201	400个(Pcs)
B197	Φ110	45	102	125	42	201	300个(Pcs)
B198	Φ160	47	150	178	43	201	150个(Pcs)

不锈钢天台地漏(304)
Floor Drain(304)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B203	Φ75	45	85	65	40	304	240个(Pcs)
B204	Φ110	50	128	102	42	304	160个(Pcs)
B205	Φ160	50	181	150	45	304	120个(Pcs)

不锈钢天台地漏(201)
Floor Drain(201)



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
B199	Φ50	25	57	43	25	201	500个(Pcs)
B200	Φ75	45	85	65	40	201	240个(Pcs)
B201	Φ110	50	128	102	42	201	160个(Pcs)
B202	Φ160	50	181	150	45	201	120个(Pcs)



一体化成型，使用高品质材料，安全环保
Integrated Molding, Using High-Quality Materials, Safe And Environmentally Friendly

内部结构优化，气流稳定流畅且安静
Internal Structure Optimization, Stable, Smooth And Quiet Airflow

采用标准化产品接口尺寸，高适配性，安装快捷方便
Adopting Standardized Product Interface Dimensions, High Adaptability, And Quick And Convenient Installation

新款一分十风箱盒
New ABS 10 Way Air Box



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
QY10A	Φ110-132x30	ABS	白色/White	10套（Set)/箱(Box)
QY10B	Φ150-132x30	ABS	白色/White	10套（Set)/箱(Box)

- 出厂配有10个风箱盒堵头，一个圆接头（Φ110或Φ150mm）
- Comes With 10 Bellows Box Plugs And A Round Joint (Φ 110 Or Φ 150mm) At The Factory

产品细节 \Product Details



精准尺寸
Accurate Size



多方向扩展
Multi-Directional Expansion



随心选择管路
Choose The Pipeline As You Wish

新款一分十二风箱盒
New ABS 12 Way Air Box



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
QY12A	Φ110-132x30	ABS	白色/White	10套（Set)/箱(Box)
QY12B	Φ150-132x30	ABS	白色/White	10套（Set)/箱(Box)

- 出厂配有12个风箱盒堵头，一个圆接头（Φ110或Φ150mm）
- Comes With 12 Bellows Box Plugs And A Round Joint (Φ 110 Or Φ 150mm) At The Factory

产品细节 \Product Details







地送风系列
Ventlation System

地送风扁管
Flat Duct



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D220	132x30mm	PVC	白色/White	2m支(Pcs) 10支(Pcs)/箱(Box)

45度水平弯头
45°Horizontal Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D228	132x30mm	ABS	白色/White	130个/Pcs

45度爬墙弯头
45°Wall Climbing Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D229	132x30mm	ABS	白色/White	282个/Pcs

90度水平弯头
90°Horizontal Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D230	132x30mm	ABS	白色/White	120个/Pcs

90度爬墙弯头
90°Wall Climbing Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D231	132x30mm	ABS	白色/White	192个/Pcs

地送风系列
Ventlation System

扁管直接
Connctor (External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D232	132x30mm	ABS	白色/White	288个/Pcs

扁三通连接
Rectangular Equal T Piece



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D233	132x30mm	ABS	黑色	200个/Pcs

风量调节阀
Air Volume Control Valve



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D234	132x30mm	ABS	黑色/Black	200个/Pcs

垂直式扁变圆接头
Right Angle Square Rounding



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D235	132x30mm	ABS	黑色/Black	100个/Pcs

直通式扁变圆接头
Staight Through/Square Rounding



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D236 (Staight Through)	132x30-Φ75	ABS	白色/White	50个/Pcs
D237 (Square Rounding)	132x30-Φ110	ABS	白色/White	50个/Pcs

风阀连接件
Air Valve Connector(external)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D266	132x30mm	PVC	白色/White	308个/Pcs

风箱盒堵头
Flat Air Box Plug



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D269	132x30mm	ABS	白色/White	Bulk

金属卡箍
Flat Metal Pipe Clamp



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D239	132x30mm	镀锌板/Galvanized	///	1000个/Pcs

扁连接件（用于金属风箱）
Fat Connector (use for metal air box)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D267	132x30mm	ABS	白色/White	308个/Pcs

扁连接件（用于ABS分风箱）
Fat Connector (use for ABS air box)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D268	132x30mm	ABS	白色/White	308个/Pcs

通用款施工底盒盖板
Construction Cover Plate Of General Bottom Box



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
DH2	37x7.2x9cm	ABS	白色/White	散装/Bulk

开闭阀（通用款）
Open And Close Valve(universal style)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
030603047	37x6.5cm	ABS	///	散装/Bulk

地送风底盒通用款(含风量调节阀)
Flat Metal Pipe Clamp



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
DH1	37x7.2x9cm	ABS	白色/White	36套(Set)/箱(Box)

底盒双路安装使用说明
Flat Metal Pipe Clamp Dual-path Installation and Operation Instructions

底盒对向面已预处理安装槽便于识别及使用①，使用工具沿凹槽切开盖板后，接入管路即可；如不需要使用多路管路请勿打开盖板;务必小心使用工具防止受伤.

The opposing surface of the base box has pre-processed connector mounting slots for easy identification and operation①. Use a tool to cut open the cover plate along the groove, then connect the pipeline; do not open the cover plate if multi-path pipelines are not required. Always handle tools with caution to avoid injury.

地送风系列
Ventlation System

拉丝网纹面板（开闭式）
Brushed Grid Pane(Open-Close Type)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH19	400x90mm	ABS + 不锈钢Stainless Steel	散装/Bulk

青古铜网纹面板（开闭式）
Brushed Grid Pane(Open-Close Type)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH20	400x90mm	ABS + 不锈钢Stainless Steel	散装/Bulk

喷砂银面板
Sandblast Silver Panel



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH3	400x90mm	铝合金 Aluminium Alloy	72套(Set)/箱(Box)

喷砂黑面板
Sandblast Black Panel



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH4	400x90mm	铝合金 Aluminium Alloy	72套(Set)/箱(Box)

不锈钢双条面板（拉丝）
Stainless Steel Double Strip Panel(Wire Drawing)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH9	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

青古铜不锈钢风口套装(开闭式)
Bronze And Stainless Steel Sealing Set (Open-Close Type)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
M269	40x8x9cm	ABS + 不锈钢Stainless Steel	40套(Set)/箱(Box)

拉丝不锈钢风口套装(开闭式)
Wire Drawn Stainless Steel Sealing Set (Open-Close Type)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
M268	40x8x9cm	ABS + 不锈钢Stainless Steel	40套(Set)/箱(Box)

香槟金面板
Champagne Gold Panel



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH5	400x80mm	铝合金 Aluminium Alloy	72套(Set)/箱(Box)

土豪金面板
Sandblast Gold



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH6	400x80mm	铝合金 Aluminium Alloy	72套(Set)/箱(Box)

不锈钢单条面板(拉丝)
Stainless Steel Single Panel(Wire Drawing)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH7	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

地送风系列
Ventlation System

不锈钢单条面板(青古铜)
Stainless Steel Single Panel(Bronze)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH10	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

不锈钢双条面板(青古铜)
Stainless Steel Double Strip Panel(Bronze)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH11	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

新款柳条面板（拉丝）
New Wicker Panel(Wire Drawing)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH12	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

新款网纹不锈钢面板（青古铜）
New Reticulated Stainless Steel Panel(Bronze)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH17	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

半铁柳条面板(需搭配2x12/4x12底盒） Semi Iron Wicker Panel(With bottom box)



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
M261 With 2*12 bottom box	34x9cm	不锈钢 Stainless Steel	///	40套(Set)/箱(Box)
M264 With 4*12 bottom box	34x13.5cm	不锈钢 Stainless Steel	///	40套(Set)/箱(Box)

新款柳条面板（青古铜）
Stainless Steel Single Panel(Bronze)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH13	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

新款S型不锈钢面板（拉丝）
New S-Type Stainless Steel Panel(Wire Drawing)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH14	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

新款S型不锈钢面板（青古铜）
New S-Type Stainless Steel Panel(Bronze)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH15	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

新款网纹不锈钢面板（拉丝）
New Reticulated Stainless Steel Panel(Wire Drawing)



编号 Item No.	尺寸 Size	材质 Material	包装 Package
DH16	400x90mm	不锈钢 Stainless Steel	72套(Set)/箱(Box)

半铁维多利亚面板(需搭配2x12/4x12底盒） Semi Rail Victorian Panel(With bottom box)



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
M262 bottom box 2*12 required	34x9cm	不锈钢 Stainless Steel	///	40套(Set)/箱(Box)
M265 bottom box 4*12 required	34x13.5cm	不锈钢 Stainless Steel	///	40套(Set)/箱(Box)

S型不锈钢套装 S-Type Stainless Steel Tuyere Suit



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
M270	31x12cm	不锈钢 Stainless Steel	///	40套(Set)/箱(Box)

2*12/4*12底盒(含施工面板和连接器） 2*12/4*12 bottom box（including construction panel and connector）



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
M271 2*12 bottom box	30x6x9cm	ABS	///	60套(Set)/箱(Box)
M272 4*12 bottom box	30x10x9cm	ABS	///	30套(Set)/箱(Box)

ABS一分五分风盒 Five Way Air Distributor



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D251	100/132x30	ABS	///	20套(Set)/箱(Box)
D252	150/132x30	ABS	///	20套(Set)/箱(Box)

ABS一分六分风盒 Six Way Air Distributor



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D253	100/132x30	ABS	///	10套(Set)/箱(Box)
D254	150/132x30	ABS	///	10套(Set)/箱(Box)

金属一分三分风盒 Three Way Air Distributor



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D243	100/132x30	镀锌钢板 Galvanized Steel Sheet	///	10套(Set)/箱(Box)

金属一分四分风盒 Four Way Air Distributor



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D244	150/132x30	镀锌钢板 Galvanized Steel Sheet	///	10套(Set)/箱(Box)

金属一分五分风盒 Five Way Air Distributor



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D245	150/132x30	镀锌钢板 Galvanized Steel Sheet	///	5套(Set)/箱(Box)

金属一分六分风盒 Six Way Air Distributor



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D246	150/132x30	镀锌钢板 Galvanized Steel Sheet	///	5套(Set)/箱(Box)

金属一分十分风盒 Ten Way Air Distributor



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D247	150/132x30	镀锌钢板 Galvanized Steel Sheet	///	5套(Set)/箱(Box)

矩形地送风管系列
Rectangular Floor Supply Air Duct Series

矩形地送风主管
Rectangular Floor Supply Air Main Duct



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D275	206x48mm	PVC	白色/White	/Pcs

矩形45度水平弯
Rectangular 45-Degree Horizontal Elbow



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D277	206x48mm	ABS	白色/White	/Pcs

矩形90度水平弯
Rectangular 90-Degree Horizontal Elbow



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D278	206x48mm	ABS	白色/White	/Pcs

矩形直接
Rectangular Straight Coupling



编号 Item No.	型号 Model	材质 Material	颜色 Color	包装 Package
D276	206x48mm	ABS	白色/White	/Pcs

矩形地送风管系列
Rectangular Floor Supply Air Duct Series

矩形地送风主管
Rectangular Floor Supply Air Main Duct



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D270	256x48mm	PVC	白色/White	/Pcs

矩形45度水平弯
Rectangular 45-Degree Horizontal Elbow



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D271	256x48mm	ABS	白色/White	/Pcs

矩形90度水平弯
Rectangular 90-Degree Horizontal Elbow



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D273	256x48mm	ABS	白色/White	/Pcs

矩形直接
Rectangular Straight Coupling



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D272	256x48mm	ABS	白色/White	/Pcs

矩形风阀连接件
Rectangular Air Damper Connector



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
D274	256x48mm	ABS	白色/White	/Pcs

顶送风扁管系列
Ceiling Supply Flat Duct Series

顶送风90°水平弯头
Ceiling Supply 90°Horizontal Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K309	195x75mm	ABS	白色/White	/Pcs

顶送风90°爬墙弯头
Ceiling Supply 90°Wall Climbing Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K309	195x75mm	ABS	白色/White	/Pcs

顶送风直接
Ceiling Supply Connctor (External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K310	195x75mm	ABS	白色/White	/Pcs

顶送风三通连接
Ceiling Supply Rectangular Equal T Piece



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K311	195x75mm	ABS	白色/White	/Pcs

顶送风扁管系列
Ceiling Supply Flat Duct Series

顶送风风量调节阀
Ceiling Supply Air Volume Control Valve



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K312	195x75mm	ABS	白色/White	/Pcs

顶送风直通式扁变圆接头
Ceiling Supply Staight Through/Square Rounding



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K313	195x75mm	ABS	白色/White	/Pcs

顶送风变径接头
Ceiling Supply Reducer Connector



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K314	195x75mm	ABS	白色/White	/Pcs

顶送风卡箍
Ceiling Supply Pipe Clamp



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K315	195x75mm	ABS	白色/White	/Pcs

顶送风矩形扁管
Ceiling Supply Rectangular Flat Duct



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K316	120x50mm	PVC	白色/White	/Pcs

顶送风扁管系列
Ceiling Supply Flat Duct Series

顶送风矩形45°水平弯头
Ceiling Supply Rectangular 45° Horizontal Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K317	120x50mm	ABS	白色/White	/Pcs

顶送风矩形45°爬墙弯头
Ceiling Supply Rectangular 45° Wall Climbing Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K318	120x50mm	ABS	白色/White	/Pcs

顶送风矩形90°水平弯头
Ceiling Supply Rectangular 90° Horizontal Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K319	120x50mm	ABS	白色/White	/Pcs

顶送风矩形90°爬墙弯头
Ceiling Supply Rectangular 90° Wall Climbing Elbow(External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K320	120x50mm	ABS	白色/White	/Pcs

顶送风矩形直接
Ceiling Supply Rectangular Connctor (External)



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K321	120x50mm	ABS	白色/White	/Pcs

顶送风扁管系列
Ceiling Supply Flat Duct Series

顶送风矩形三通连接
Ceiling Supply Rectangular Equal T Piece



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K322	120x50mm	ABS	白色/White	/Pcs

顶送风直通式扁变圆接头Φ110
Ceiling Supply Staight Through/Square RoundingΦ110



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K323	120x50mm	ABS	白色/White	/Pcs

顶送风直通式扁变圆接头Φ160
Ceiling Supply Staight Through/Square RoundingΦ160



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K324	120x50mm	ABS	白色/White	/Pcs

顶送风垂直式扁变圆接头Φ100
Ceiling Supply Vertical Flat-to-Round AdapterΦ100



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K324	120x50mm	ABS	白色/White	/Pcs

顶送风矩形卡箍
Ceiling Supply Rectangular Pipe Clamp



编号 Item No.	型号 Model	材质 Matl	颜色 Color	包装 Package
K325	120x50mm	ABS	白色/White	/Pcs

静音净化系列
Silencing and purificationg series

空气净化箱
Air Purification Box





颜色（Color）：

材质(Matl): 喷涂镀锌板+静音棉/Galvanized Sheet Spraying + Silencing Cotton

- 滤芯更大
  Greater Filter
- 更加静音
  More Silent
- PM2.5≈0
  PM2.5 is approximately zero.
- 杀毒除病毒
  Antivirus Virus
- 将室外空气经过初效、活性炭、高效、光触媒滤芯层层净化过滤
- The outdoor air is purified and filtered through multiple layers of pre-filtration, activated carbon, high-efficiency, and photocatalyst filters.



初效过滤网 Initial Purification Filter Screen → 活性炭网 Activated Carbon Mesh → 高效过滤网 Efficient Purification Filter Screel



精工卡扣
安装维护轻松开启与关闭
Precision-engineered Clips
Effortless Opening & Closing for Installation & Maintenance



加强挂件
高承载力，无需担心脱落
Reinforced Hangers
High Load Capacity, No Fear of Falling Off



精致工艺
美观的同时更是细致
Exquisite Craftsmanship
Aesthetically Pleasing with Meticulous Finish



蛋格消音棉
最大程度为您解决噪音
Egg-Crate Acoustic Foam
Maximize Noise Reduction for You

编号 Item No.	型号 Model	A (mm)	B (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)	I (mm)	Φd (mm)	包装 Package
J305	Φ100	400	356	370	273	55	117	236	454	Φ100	1套(Set)/箱(Box)
J330	Φ120	400	356	370	273	55	117	236	478	Φ120	1套(Set)/箱(Box)
J307	Φ150	400	356	370	273	55	117	236	493	Φ150	1套(Set)/箱(Box)
J308	Φ200	450	406	370	273	55	156	316	562	Φ200	1套(Set)/箱(Box)
J309	Φ250	450	406	370	273	55	156	316	566	Φ250	1套(Set)/箱(Box)

静音净化系列
Silencing and purificationg series

初效过滤网
Initial Purification Filter Screen



编号 Item No.	型号 Model	颜色 Color	包装 Package
J354A	Φ100 or 150	350x208x10	///
J357	Φ200 or 250	350x290x10	///

高效过滤网
Efficient Purification Filter Screel



编号 Item No.	型号 Model	尺寸 Size	包装 Package
J356	Φ100 or 150	350x208x40	///
J358	Φ200 or 250	350x290x40	///

活性炭网
Activated Carbon Mesh



编号 Item No.	型号 Model	尺寸 Size	包装 Package
J355	Φ100 or 150	350x208x10	///
J359	Φ200 or 250	350x290x10	///

金属消音箱
Sound Elimination Box



编号 Item No.	型号 Model	材质 Material	包装 Package
J310	Φ100	镀锌钢板+静音棉 Galvanized Steel +Silencing Cotton	1套(Set)/箱(Box)
J311	Φ150	镀锌钢板+静音棉 Galvanized Steel +Silencing Cotton	1套(Set)/箱(Box)
J312	Φ200	镀锌钢板+静音棉 Galvanized Steel +Silencing Cotton	1套(Set)/箱(Box)
J313	Φ250	镀锌钢板+静音棉 Galvanized Steel +Silencing Cotton	1套(Set)/箱(Box)

管道风机
Duct Fan



编号 Item No.	型号 Model	材质 Material	包装 Package
J318	23P-100	///	1套(Set)/箱(Box)
J319	33P-120	///	1套(Set)/箱(Box)
J320	45P-150	///	1套(Set)/箱(Box)
J321	55P-200	///	1套(Set)/箱(Box)

柔性管式消音器
Flexible Tubular Silencer

柔/Soft

产品采用优质柔性硅胶材质打造，适配性表现出色，可灵活匹配多种规格的产品接头，无需额外搭配适配配件，适配场景更丰富。硅胶材质加持下，产品拥有更优密闭性，有效杜绝渗漏问题；同时凭借软连接特性，大幅降低摩擦产生的噪音，静音效果突出，兼顾实用、密封与静音，适配多类工况需求。

Crafted from high-quality flexible silicone, this product features exceptional adaptability. It flexibly fits product connectors of various specifications without extra adaptive accessories, covering a broader range of application scenarios. The silicone material ensures superior airtightness, effectively preventing leakage. Meanwhile, its flexible connection property drastically reduces friction-induced noise for an outstanding mute effect. It integrates practicality, sealing and noise reduction, and is suitable for diverse working conditions.



弹/Adaptable



具备超宽幅尺寸适配能力，精准覆盖 Φ143mm 至 Φ165mm 全尺寸区间，大幅兼容不同规格安装场景，无需额外更换适配配件，轻松匹配各类工况需求。高适配性简化安装流程，减少适配调试时间，适配灵活度拉满，为各类工程场景提供高效、便捷的使用体验，适配性与实用性兼备。

Boasts an ultra-wide size adaptability, accurately covering the full dimension range from Φ143mm to Φ165mm. It is highly compatible with installation scenarios of different specifications, requiring no additional replacement of adaptive accessories and easily meeting the needs of various working conditions. The high adaptability streamlines the installation process, cuts down adaptive debugging time and maximizes adaptation flexibility, delivering an efficient and convenient user experience for all engineering scenarios with a perfect combination of adaptability and practicality.

静/Quiet

多层降噪材质，外层采用TPE+PP，既有支撑性又可以进行弯曲以及增加一定的拉伸性，中间层使用优质聚酯纤维棉，环保、吸音且耐老化；内层则使用了无纺布，多孔结构具备优异的吸音降噪能力从而实现均衡的降噪效果，无纺布内层增加了螺旋结构的不锈钢支撑来式无纺布紧密贴合聚酯纤维棉降低风噪

Multi-layer noise reduction structure. The outer layer adopts TPE + PP reinforcement ribs, enabling universal bending, variable length, and longer service life. The middle layer is made of high-quality polyester fiber cotton, which is environmentally friendly, sound-absorbing, and resistant to aging. The inner layer uses microporous nonwoven fabric, featuring porous sound absorption for balanced noise reduction; the inner wall is spirally reinforced with stainless steel strips to reduce wind resistance.





编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 Material	包装 Package
RQ002	Φ143-165	595	820	Φ143-165	硅胶Silicone+PP	1套(Set)/箱(Box)

消音保温管
Silencing And Insulation Pipe



编号 Item No.	型号 Model	材质 Material	长度/可定制 Length/Customizable	包装 Package
J341	Φ85	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	定制/Customizable
J337	Φ105	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	9个(Pcs)/箱(Box)
J330	Φ115	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	15个(Pcs)/箱(Box)
J342	Φ127	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	定制/Customizable
J331	Φ155	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	10个(Pcs)/箱(Box)
J332	Φ165	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	10个(Pcs)/箱(Box)
J343	Φ180	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	定制/Customizable
J333	Φ200	复合材料+消音纤维 Composite Tube+Anechoic Fiber	1米每根/可定制 1m(Pcs)/Customizable	6个(Pcs)/箱(Box)

PE承插式消音管
PE Socket-type Sound-Absorbing Duct



编号 Item No.	型号 Model	材质 Material	包装 Package
J341A	Φ75	复合材料+消音纤维 Composite Tube+Anechoic Fiber	40个(Pcs)/箱(Box)

消音管
Silencer Pipe



编号 Item No.	型号 Model	材质 Material	包装 Package
J314	Φ110	PVC+静音棉 PVC+(Silencer Cotton)	16支(Branch)/件(Pcs)
J315	Φ160	PVC+静音棉 PVC+(Silencer Cotton)	9支(Branch)/件(Pcs)



材质(Material)：
双层铝箔+PVC膜+加粗钢丝
(PVC+Double Aluminum Foil+Steel Wire)
颜色(Colour)：
可定制 (Customizable)

特点：防水降噪、耐高温和腐蚀，可随意弯曲伸缩，使用方便灵活。
用途：应用于新风系统，管道风机，换气扇油烟机，空调浴霸等换气类产品及各类机械设备配套使用。

Features: waterproof, noise reduction, high temperature and corrosion resistance, flexibility and flexibility, easy to use.
Usage: Used in fresh air system, duct fan, ventilator lampblack machine, air conditioning bathroom, etc.Products and all kinds of machinery and equipment supporting use.

PVC铝箔复合软管
PVC Aluminum Foil Flexible Duct


颜色（Color）：可定制/Customizable

编号 Item No.	型号 Model	材质 Matl	规格 (Specification)	包装 Package
L322	Φ80	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	40支(Branch)/箱(Box)
L323	Φ105	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	30支(Branch)/箱(Box)
L324	Φ110	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	28支(Branch)/箱(Box)
L325	Φ127	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	23支(Branch)/箱(Box)
L326	Φ150	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	16支(Branch)/箱(Box)
L327	Φ160	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	12支(Branch)/箱(Box)
L328	Φ180	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	11支(Branch)/箱(Box)
L329	Φ200	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	9支(Branch)/箱(Box)
L330	Φ250	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	6支(Branch)/箱(Box)
L331	Φ315	双层铝箔+PVC膜+加粗钢丝 Double-layer Aluminum Foil+PVC+Steel Wire	8m/支(Branch)	3支(Branch)/箱(Box)

不锈钢卡箍/PVC铝箔复合软管安装示意图
Installation Diagram of Stainless - Steel Clamp / PVC Aluminum - Foil Composite Flexible Hose

注意：请将卡箍安装在复合软管两端边缘位置（如图所示①），勿安装在波浪位置②，会造成连接不紧密。

Note: Please install the clamps at the edge positions of both ends of the composite hose (as shown in ① in the diagram). Do not install them at the corrugated positions (②), as this will result in an insecure connection.



您需要准备一个螺丝刀工具,电动手动均可
You will need to prepare a screwdriver, which can be either electric or manual.

使用螺丝刀工具通过拧转卡箍的螺丝收紧不锈钢卡箍
Use a screwdriver to tighten the stainless steel clamp by twisting its screw.

卡箍收紧至贴合管件或接口后即可，请勿大力拧动以防损坏
Tighten the clamp until it fits snugly against the pipe fitting or interface; do not over-tighten by twisting with excessive force to avoid damage.



编号(Item No.)：L332
材质(Material)：双层铝箔
(Double-layer Aluminum Foil)
颜色(Colour)：
型号(Model)：φ80/φ100/φ110/φ127/φ150/φ160/φ180/φ200/φ250/φ315

光面铝箔管
Aluminum Foil Flexible Duct


颜色（Color）：

编号 Item No.	型号 Model	材质 Matl	规格 (Specification)	包装 Package
L332	Φ80	双层铝箔 Double-layer Aluminum Foil	8m/支(Branch)	40支(Branch)/箱(Box)
L334	Φ115	双层铝箔 Double-layer Aluminum Foil	8m/支(Branch)	28支(Branch)/箱(Box)
L337	Φ160	双层铝箔 Double-layer Aluminum Foil	8m/支(Branch)	12支(Branch)/箱(Box)
L339	Φ200	双层铝箔 Double-layer Aluminum Foil	8m/支(Branch)	9支(Branch)/箱(Box)

不锈钢卡箍
Stainless Steel Pipe Hoop



编号 Item No.	型号 Model	A (mm)	B (mm)	材质 Matl	包装 Package
L148	Φ69-89	69-89	12	不锈钢/Stainless Steel	1000个（Pcs）
L149	Φ90-110	90-110	12	不锈钢/Stainless Steel	1000个（Pcs）
L150	Φ110-130	110-130	12	不锈钢/Stainless Steel	1000个（Pcs）
L151	Φ120-140	120-140	12	不锈钢/Stainless Steel	800个（Pcs）
L152	Φ130-150	130-150	12	不锈钢/Stainless Steel	800个（Pcs）
L153	Φ140-160	140-160	12	不锈钢/Stainless Steel	800个（Pcs）
L154	Φ150-170	150-170	12	不锈钢/Stainless Steel	800个（Pcs）
L155	Φ160-180	160-180	12	不锈钢/Stainless Steel	700个（Pcs）
L156	Φ170-190	170-190	12	不锈钢/Stainless Steel	700个（Pcs）
L157	Φ180-200	180-200	12	不锈钢/Stainless Steel	600个（Pcs）
L158	Φ200-220	200-220	12	不锈钢/Stainless Steel	600个（Pcs）
L159	Φ220-240	220-240	12	不锈钢/Stainless Steel	500个（Pcs）
L160	Φ240-260	240-260	12	不锈钢/Stainless Steel	500个（Pcs）
L161	Φ260-280	260-280	12	不锈钢/Stainless Steel	400个（Pcs）
L162	Φ290-300	290-300	12	不锈钢/Stainless Steel	400个（Pcs）

组合穿墙风帽
Combined Type Wall Cowl





- 帽头加大开口尺寸20%，排送风更顺畅
  Increase the opening size of the hat by 20% for smoother ventilation
- 多翼式耐气候硅胶密封圈，耐高温、耐气候、环保无毒
  Multi wing climate resistant silicone sealing ring, high temperature resistant, climate resistant, environmentally friendly and non-toxic
- PET与塑料一体注塑成型，滤网可反复清洗
  PET and plastic are injection molded together, and the filter can be repeatedly cleaned
- 管道螺纹优化，管道连接后管内呈纯平状态
  Optimization of pipeline threads, resulting in a flat surface inside the pipeline after connection

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	材质 (Matl)	开孔尺寸 (Hole Opening Size)	包装 Package
KCQ75	Φ75	75	103	460	ABS	83mm	18个/(Pcs)
KCQ110	Φ110	110	140	470	ABS	120mm	15个/(Pcs)
KCQ160	Φ160	160	188	480	ABS	168mm	12个/(Pcs)

圆筒穿墙风帽
External Wall Air Vent-A



颜色(Color):　材质(Matl): ABS+PVC

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	开孔 Perforation	包装 Package
K300	Φ75	75	76	70	395	Φ90	20个/(Pcs)
K301	Φ110	110	120	80	400	Φ130	15个/(Pcs)
K302	Φ160	160	160	110	400	Φ180	8个/(Pcs)

长半球穿墙风帽
External Wall Air Vent-B



颜色(Color):　材质(Matl): ABS+PVC

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	开孔 Perforation	包装 Package
K304	Φ110	109	120	75	380	147	148	Φ130	15个/(Pcs)
K305	Φ160	158	170	105	380	214	197	Φ185	8个/(Pcs)

穿墙风帽常规款
External Wall Air Vent



颜色(Color):　材质(Matl): ABS+PVC

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	开孔 Perforation	包装 Package
K297	Φ75	70	85	40	385	100	105	Φ95	25个/(Pcs)
K298	Φ110	109	120	70	370	147	148	Φ130	14个/(Pcs)
K299	Φ160	158	170	85	370	210	198	Φ185	7个/(Pcs)

圆风阀
Round Air Valve



颜色(Color):　材质(Matl): PP

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	包装 Package
K283	Φ75	86	76	146	70个/(Pcs)
K284	Φ110	120	111	139	40个/(Pcs)
K285	Φ160	173	164	143	24个/(Pcs)
K286	Φ200	211	202	143	18个/(Pcs)

管道止回阀
Check Valve



颜色(Color):　材质(Matl): ABS

编号 Item No.	型号 Model	A (mm)	C (mm)	D (mm)	E (mm)	M (mm)	包装 Package
K278	Φ75	77	28	50	102	77	150个/(Pcs)
K279	Φ100	103	29	50	125	103	100个/(Pcs)
K280	Φ120	//	///	///	///	///	///个/(Pcs)
K281	Φ160	150	29	50	183	150	60个/(Pcs)
K282	Φ200	189	37	64	219	189	30个/(Pcs)

过梁器
Lintel



注：含有配套固定卡子
Note: Include matching fixing clips.

颜色(Color):　材质(Matl): ABS+PVC

编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	包装 Package
K293	Φ75	680	230	115	75	400	30	25套(Set)/箱(Box)
K294	Φ110	750	345	120	110	400	30	14套(Set)/箱(Box)
K295	Φ160	880	470	178	160	400	44	7套(Set)/箱(Box)
K296	Φ200	810	320	210	200	500	62	6套(Set)/箱(Box)

一体化成型，使用高品质材料，安全环保
Integrated Molding, Using High-Quality Materials, Safe And Environmentally Friendly

内部结构优化，气流稳定流畅且安静
Internal Structure Optimization, Stable, Smooth And Quiet Airflow

采用标准化产品接口尺寸，高适配性，安装快捷方便
Adopting Standardized Product Interface Dimensions, High Adaptability, And Quick And Convenient Installation



空调管槽-过墙盖
Air Conditioning duct Wall Opening Cover



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-4	75x65	75	65	175	98	ABS	87个/(Pcs)
LX100-4	100x65	100	65	220	130	ABS	48个/(Pcs)
LX130-4	130x90	130	90	235	150	ABS	45个/(Pcs)
LX160-4	160x120	160	120	250	205	ABS	28个/(Pcs)

空调管槽-直管
Air Conditioning Pipeline Protection Sleeve



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-8	75X65/2m/branch	75	65	///	///	PVC	32m/箱（Box）
100GC	100X65/2m/branch	100	65	///	///	PVC	24m/箱（Box）
LX130-8	130X90/2m/branch	130	90	///	///	PVC	28m/箱（Box）
160GC	160X120/2m/branch	160	120	///	///	PVC	16m/箱（Box）

空调管槽-万向软管
Air Conditioning Pipe Slot-Universal Hose



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-6	75x65	75	65	480	30	PE	50个/(Pcs)
LX100-5	100x65	100	65	660	50	PE	35个/(Pcs)
LX130-6	130x90	130	90	835	40	PE	37个/(Pcs)
LX160-6	160x120	160	120	855	65	PE	24个/(Pcs)

空调管槽-垂直弯头
Air Conditioning duct Vertical Elbow



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-3	75x65	65	75	98	///	ABS	120个/(Pcs)
LX100-3	100x65	65	100	120	///	ABS	64个/(Pcs)
LX130-3	130x90	90	130	170	///	ABS	45个/(Pcs)
LX160-3	160x120	120	160	170	///	ABS	24个/(Pcs)

空调装饰管槽系列
Air Conditioning Decorative Pipe Trough Series

空调管槽-直管接头
Air Conditioning Duct Straight Pipe Joint



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-1	75x65	75	65	60	///	ABS	294个/(Pcs)
LX100-1	100x65	100	65	65	///	ABS	192个/(Pcs)
LX130-1	130x90	130	90	80	///	ABS	168个/(Pcs)
LX160-1	160x120	160	120	80	///	ABS	96个/(Pcs)

空调管槽-水平弯头
Air Conditioning duct Horizontal Elbow



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-2	75x65	75	65	120	///	ABS	81个/(Pcs)
LX100-2	100x65	100	65	140	///	ABS	72个/(Pcs)
LX130-2	130x90	130	90	170	///	ABS	66个/(Pcs)
LX160-2	160x120	160	120	210	///	ABS	30个/(Pcs)

空调管槽-尾部接头
Air Conditioning Duct Tail End Connector



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-5	75x65	75	65	95	45	ABS	174个/(Pcs)
QY100-5	100x65	109.5	70	101	84	ABS	///(Pcs)

空调管槽-三通
Air Conditioning Duct-Tee



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
QY100-6	100X65	109	70	70	177.5	ABS	///(Pcs)
LX130-5	130x90	123	130	90	207	ABS	51个/(Pcs)
LX160-5	160x120	160	160	120	260	ABS	24个/(Pcs)

空调装饰管槽系列
Air Conditioning Decorative Pipe Trough Series

空调管槽-墙洞盖
Air Conditioning Wall hole cover



编号 Item No.	型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	材质 Matl	包装 Package
LX75-9	75x65	127.5	69	80	68	ABS	///(Pcs)
QY100-7	100x65	142	85	109.5	70	ABS	///(Pcs)

空调管槽-75系列空调装饰管槽套装
Air Conditioning Pipe Groove -75 Series Air Conditioning Decorative Pipe Groove Set



编号 Item No.	LX75-7
材质 Matl	PVC+ABS+PE
包装 Package	1套(Set)/箱(Box)
定制化 Customization	产品的配套数量可根据具体需求提供定制化支持 The supporting quantity of the product can be customized according to specific needs
规格 Specification	直管1米*2支(Lx75-8)、直管接头2个(Lx75-1)、水平弯头1个(Lx75-2)、垂直弯头1个(Lx75-3)、过墙盖1个(Lx75-4)、尾部接头1个(Lx75-5)、万向软管1支(Lx75-6) Straight Pipe 1m*2pcs(Lx75-8) / Straight Pipe Joint 2pcs(Lx75-1) / Horizontal Elbow 1pcs(Lx75-2) / Vertical Elbow 1pcs(Lx75-3) / Wall Penetration Cover 1pcs(Lx75-4) / Tail Joint 1pcs(Lx75-5) / Universal Hose 1pcs(Lx75-6)

空调管槽-130系列空调装饰管槽套装
Air Conditioning Pipe Groove -130 Series Air Conditioning Decorative Pipe Groove Set



编号 Item No.	LX130-7
材质 Matl	PVC+ABS+PE
包装 Package	1套(Set)/箱(Box)
定制化 Customization	产品的配套数量可根据具体需求提供定制化支持 The supporting quantity of the product can be customized according to specific needs
规格 Specification	直管1米*2支(LX130-8)、直管接头2个(Lx130-1)、水平弯头1个(Lx130-2)、垂直弯头1个(Lx130-3)、过墙盖1个(Lx130-4)、万向软管1支(Lx130-6) Straight Pipe 1m*2pcs(Lx130-8) / Straight Pipe Joint 2pcs(Lx130-1) / Horizontal Elbow 1pcs(Lx130-2) / Vertical Elbow 1pcs(Lx130-3) / Wall Penetration Cover 1pcs(Lx130-4) / Universal Hose 1pcs(Lx130-6)

定制化流程
Customization Process

任意搭配产品及数量
Confirm the required product specifications and quantity



确认需要的产品规格及数量
Confirm the required product specifications and quantity

多种包装材质及工艺可选
Confirm the packaging specifications and materials



确认包装规格及材质
Confirm the packaging specifications and materials



为您安全打包货物
We will pack your goods safely for you.

Rooted In Quality

Committed To Service

源于品质

忠于服务

山东旗悦环保科技有限公司

Shandong Qiyue Environmental Protection Technology Co., Ltd.

电 话（Phone）：4008-0539-90

传 真（Tel.）：0539-8532200

邮 箱（E-mail）：gioia@chinaqiyuex.com

网 址（Website）：www.airductx.com

地 址（Add）：山东省临沂市南环路689号

No.689, South Outer Ring Of Zhaojiaba Village, Luozhuang Street, Luozhuang District, Linyi, Shandong, China

QYSC26040301

微信公众号

WeChat Official Account